

ShoeMan

Based on:

Schumann PLL One

Effect type:

Analog Fuzz harmonizer

Build difficult:

Advanced

Number of parts:

High, total 81 components

Power consumption:

9V

Enclosure type:

1590bb

Get your board at:

[Shoeman](#)

Get your kit at:

[Das Musikding \(Europe\)](#)

This temporary Building Doc has all the information you need to build your pedal. In a couple of days, I will upload the complete document with some insides about the PCB and extra information you may find interesting.

Controls

Potentiometers

- Div
- Freq1
- Freq2
- Freq3
- Freq4
- Lagtime
- Looptrack
- Master
- Multi
- Preamp
- Response
- SQ-Wave
- Trigger
- Waveshape

Switches

- D-On
- M-ON
- M-ENABLE
- D-ENABLE
- M-PHASE
- D-PHASE
- BASS-INPUT
- Loopspeed
- 1-2-3 A
- 1-2-3 B
- Freq
- DRONE-FS
- Momentary
- BYPASS
- Multiplier
- Divider

Bill of materials

Resistors	
Part	Value
R1	150k
R2	10k
R3	1k
R4	200k
R5	1m
R6	10k
R7	10k
R8	10k
R9	100k
R10	4k7
R11	4k7
R12	1m
R13	4k7
R14	10k
R15	10k
R16	1m
R17	150k
R18	1m
R19	1m

Capacitors	
Part	Value
C1	10p
C2	47p
C7	10n
C12	100n
C14	100p
C15	220n
C16	100n
C17	20n
C18	470n
C25	470u

Electrolytics Capacitors	
Part	Value
C3	10u
C4	10u
C6*	470n - 10u
C8	2u2
C9	2u2
C10	100u
C11	10u
C13	10u
C19	33u
C20	47u

Potentiometers	
Part	Value
DIV	100K A
FREQ1	1M B
FREQ2	1M B
FREQ3	1M B
FREQ4	1M B
LAGTIME	10K B
LOOPTRACK	500K A
MASTER	100K A
MULTI	100K A
PREAMP	10K A
RESPONSE	1M B Stereo
SQ-WAVE	100K A
TRIGGER	10K B
WAVESHAPE	250K B

Switches	
Part	Value
D-ON	SPDT On-On
M-ON	SPDT On-On
M-ENABLE	SPDT On-On
D-ENABLE	SPDT On-On
M-PHASE	SPDT On-On

D-PHASE	SPDT On-On
BASS-INPUT	SPDT On-On
Loopspeed	SPDT On-Off-On
1-2-3 A	DPDT On-On-On Type
1-2-3 B	DPDT On-On-On Type
FREQ	3PDT On-On
DRONE-FS	3PDT On-On
Momentary	3PDT Momentary non latching On-On
BYPASS	3PDT On-Off
Multiplier	1P12t set to 8 positions
Divider	1P12t set to 8 positions
-	3PDT Stomp foot
-	3PDT Stomp foot
-	3PDT Stomp foot
-	3PDT Stomp foot

IC	
Part	Value
IC1	TL074
IC2	40106N
IC3	4046N

IC4	4017N
IC5	4017N
IC6	LMC660CN
IC7	TC1044SCPA

Diodes	
Part	Value
D1	1N4001
D2	1N4001
D3	3mm LED
D4	1n5817
D5	1n4742
LED1	Dual LED Common Cathode
LED2	Dual LED Common Cathode

Jacks	
Part	Value
-	DC Jack
-	Audio Jack
-	Audio Jack

Shopping list

Resistors		
Qty	Value	Parts
1	100k	R9
6	10k	R2, R6, R7, R8, R14, R15
2	150k	R1, R17
1	1k	R3
2	1m	R5, R18
3	1m	R12, R16, R19
1	200k	R4
3	4k7	R10, R11, R13

Capacitors		
Qty	Value	Parts
1	100n	C12
1	100n	C16
1	100p	C14
1	10n	C7
1	10p	C1
1	20n	C17
1	220n	C15
1	470n	C18
1	470u	C25
1	47p	C2

Electrolytics Capacitors		
Qty	Value	Parts
1	100u	C10
1	10u	C11
1	10u	C3
2	10u	C4, C13
1	2u2	C9
1	2u2	C8
1	33u	C19
1	470n - 10u	C6*
1	47u	C20

Potentiometers		
Qty	Value	Parts
4	100K A	DIV, MASTER, MULTI, SQ-WAVE
1	10K A	PREAMP
2	10K B	LAGTIME, TRIGGER
4	1M B	FREQ1, FREQ2, FREQ3, FREQ4
1	250K B	WAVESHAPE
1	2M B	RESPONSE
1	500K A	LOOPTRACK

Switches		
Qty	Value	Parts
7	SPDT On-On	D-ON, M-ON, M-ENABLE, D-ENABLE, M-PHASE, D-PHASE, BASS-INPUT
1	SPDT On-Off-On	Loopspeed
2	DPDT ON-ON-ON Type	1-2-3 A, 1-2-3 B
2	3PDT On-On	FREQ, DRONE-FS
1	3PDT Momentary non latching On-On	Momentary
1	3PDT On-Off	BYPASS
2	1P12t set to 8 positions	Multiplier, Divider
4	-	3PDT Stomp foot


IC		
Qty	Value	Parts
1	40106N	IC2
2	4017N	IC4, IC5
1	4046N	IC3
1	TL072	IC6
1	TL074	IC1
1	TC1044SCPA	IC7

Diodes		
Qty	Value	Parts
2	1N4001	D1, D2
1	1n4742	D5
1	1n5817	D4
1	3mm LED	D3

Jacks		
Qty	Value	Parts
1	DC Jack	-
2	Audio Jacks	-

PCBGUITARMANIA.COM

Schematic



Components Recommendations

As many people like to experiment with some pedals with higher voltage, always ensure your **electrolytic capacitors'** max tolerance is over 25v.

This board has been tested using Film box capacitors for most of the values over 1nf and ceramics discs for those under 1nf. However, high-quality components such as Wima's Capacitors and Panasonic's electrolytics can deliver a better performance.

All the resistors used for testing this project are 1/4W Metal Film.

The BOM and Shopping list are exclusive regarding this project. It doesn't include all the hardware like the 3PDT bypass switch, audio/dc jacks, enclosure, etc.

Build Notes

If this is one of your first projects, I recommend you to take a look at our [Pedal Building Guide](#).

For a successful and tidy build, it's recommended the following order:

1. Resistors & diodes
2. Capacitors, starting with the smaller ones and the ceramic ones.
3. Electrolytic capacitors (always check the polarity)
4. Transistors
5. Wires
6. Potentiometers and switches
7. Off-board wiring

C6*

It is a capacitor added in later PLL units. The "CON" switch engages this capacitor, allowing the unit to function better with lower frequency inputs. Reports from two different units have this value at 1uF, and 10uF. Conduct tests to find the value that suits your operation.

Wiring Diagram

All our projects include a free 3PDT Board to make the wiring easier and tidier. Also, all of our PCBs feature the status LED on board.

The pad named "Ctrl" or "LED" is the one that controls the status of the led; wire it to the "LED" pad on the 3PDT board or in the control slug of your 3PDT.

This board has been designed to match our EZ 3PDT PCB; check it [here](#) to access our [Pedal Wiring Guide](#).

Drill Template

This Project has been planned to fit into a 1590dd enclosure type.

Check the Attached “Drilling templates” to drill the box properly. The files are on Scale 1:1, ready to print on an A4 page.

Licensing and Usage

We really appreciate your trust and support in buying this PCB, as well as your will to dive into the DIY electronics world. For us, that's why you can make this project work properly and enjoy not only the building process but also experiment and play with it on your rig.

We try to reply to every question we receive on our email or our social media. Still, we try to encourage all our customers to join our [PCB Guitar Mania - Builders Group](#) on Facebook to post all your doubts, issues, suggestions, or requests, share your builds, and have some feedback from other fellow builders and us!

We tested all our projects following this same guide on their standard configurations. Although, not all of the variations and mods have necessarily been checked. These are suggestions based on the schematic analysis and the experiences and opinions of others. Feel free to share with us your views and recommendations regarding the mods your personal experimentation.

These boards may be used for commercial endeavors in any quantity unless expressly noted. No attribution is necessary, though accreditation or a link back is always much appreciated.

If you are a builder planning to make your own run of pedals, we also offer the service of custom-made boards with your brand and logo, design according to your specifications.

The only usage restrictions are that, first, you cannot resell the PCB as part of a kit without prior arrangement with us, and second, you cannot scratch off the silkscreen or other way of trying to hide our logos and the source of the PCBs. Like it's written above, if you want to have your designs with your brand and logo, we could undoubtedly reach an agreement.

Follow us on [Instagram](#) and [Facebook](#) to stay in tune with the latest projects!